



SAFETY DATA SHEET

Issuing Date 12-Dec-2017

Revision Date 05-Jan-2018

Revision Number 1

This document complies with the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name WS 5050

Other means of identification

UN-Number UN3082

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Heavy-duty water-soluble oil

Uses advised against No information available

Supplier's details

Initial Supplier
ITW Permatex Canada
1-35 Brownridge Road
Halton Hills, ON, L7G 0C6
Canada
TEL: 1-800-452-5823

Supplier Address
ITW Fluids North America
3650 West Lake Avenue
Glenview, IL 60026
TEL: 1-800-452-5823

Emergency telephone number

Emergency Telephone Number CHEMTREC: 1-800-424-9300 for US/ 703-527-3887 outside US

2. HAZARDS IDENTIFICATION

Classification

This product is considered hazardous according to the criteria set within the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

Skin Sensitization	Category 1
Flammable liquids	Category 4

Label Elements

Signal Word

Warning

**Hazard Statements**

May cause an allergic skin reaction
Combustible liquid.

Physical and Health Hazards Not Otherwise Classified

Not applicable.

Precautionary Statements**Prevention**

- Avoid breathing dust/fume/gas/mist/vapors/spray.
- Contaminated work clothing should not be allowed out of the workplace.
- Keep away from heat/sparks/open flames/hot surfaces - No smoking.
- Wear protective gloves/protective clothing/eye protection/face protection.

General Advice

- None

Skin

- IF ON SKIN: Wash with plenty of soap and water.
- If skin irritation or rash occurs: Get medical advice/attention.
- Wash contaminated clothing before reuse.

Fire

- In case of fire: Use CO2, dry chemical, or foam for extinction.

Storage

- Store in a well-ventilated place. Keep cool.

Disposal

- None

Other information

Toxic to aquatic life with long lasting effects.

Unknown acute toxicity

12% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Petroleum distillates, hydrotreated heavy naphthenic	64742-52-5	54.41	-	-
Chloroalkanes	61788-76-9	9.02	-	-
Polyethylene glycol monooleyl ether	9004-98-2	5.01	-	-
Tall oil fatty acids diisopropanolamide	-	4.42	-	-
2-(2-Aminoethoxy)ethanol	929-06-6	4.40298	-	-
Hexahydro-1,3,5-tris(2-hydroxyethyl)-S-triazine	4719-04-4	1.5075	-	-

Diisopropanolamine	110-97-4	1-5	-	-
--------------------	----------	-----	---	---

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin Contact	Wash skin with soap and water. If skin irritation or rash occurs: Get medical advice/attention. Remove and wash contaminated clothing before re-use.
Inhalation	If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.
Ingestion	IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects Hives, Rashes.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician May cause sensitization by skin contact.

5. FIRE-FIGHTING MEASURES

<u>Suitable Extinguishing Media</u>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<u>Unsuitable Extinguishing Media</u>	None
<u>Specific Hazards Arising from the Chemical</u>	May burn if exposed to high temperature. Use water spray to cool unopened containers.
Explosion Data	
Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None.
<u>Protective Equipment and Precautions for Firefighters</u>	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with skin, eyes and clothing. Wash thoroughly after handling.

Environmental Precautions

Environmental Precautions See Section 12 for additional Ecological Information. Avoid release to the environment. Dispose of contents/container to an approved waste disposal plant. Collect spillage.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up and shovel into suitable containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Remove and wash contaminated clothing before re-use.

Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed in a dry and well-ventilated place.

Incompatible Products Strong oxidizing agents.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Appropriate engineering controls

Engineering Measures Showers
Eyewash stations
Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses with side-shields.
Skin and Body Protection Protective gloves.
Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene Measures When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing. Remove and wash contaminated clothing before re-use. Contaminated work clothing should not be allowed out of the workplace. Wash face, hands and any exposed skin thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Liquid.	Appearance	Dark blue.
Odor	Characteristic.	Odor Threshold	No information available.

<u>Property</u>	<u>Values</u>	<u>Remarks/ - Method</u>
pH		at 10%
Melting Point/Range	No data available	None known
Boiling Point/Boiling Range	100 °C / 212 °F	None known
Flash Point	> 93 °C / > 200 °F	PMCC
Evaporation rate	> 0.1	None known
Flammability (solid, gas)	No data available	None known
Flammability Limits in Air		
upper flammability limit	No data available	
lower flammability limit	No data available	
Vapor Pressure	< 1	None known
Vapor Density	Heavier than air	None known
Relative Density	No data available	None known
Specific Gravity	0.98	None known
Water Solubility	Emulsifies	None known
Solubility in other solvents	No data available	None known
Partition coefficient: n-octanol/water	No data available	None known
Autoignition Temperature	No data available	None known
Decomposition Temperature	No data available	None known

Viscosity	No data available	None known
Flammable Properties	Not flammable	
Explosive Properties	No data available	
Oxidizing Properties	No data available	
<u>Other information</u>		
VOC Content (%)	No data available	
VOC (g/l)	92.82 g/l in concentrate	

10. STABILITY AND REACTIVITY

Reactivity	No data available.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	None under normal processing.
Hazardous Polymerization	Hazardous polymerization does not occur.
Conditions to avoid	High temperatures.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Carbon oxides, Hydrocarbons, Nitrogen oxides (NOx).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	There is no data available for this product
Inhalation	There is no data available for this product.
Eye Contact	There is no data available for this product.
Skin Contact	May cause sensitization by skin contact.
Ingestion	There is no data available for this product.

Numerical measures of toxicity - Product

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral	5030 mg/kg; Acute toxicity estimate
LD50 Dermal	4518 mg/kg; Acute toxicity estimate
Inhalation	No information available
Unknown acute toxicity	12% of the mixture consists of ingredient(s) of unknown toxicity.
Acute Oral Toxicity	82.68052% of the mixture consists of ingredient(s) of unknown acute oral toxicity
Acute Dermal Toxicity	84.18802% of the mixture consists of ingredient(s) of unknown acute dermal toxicity
Acute Inhalation (dust/mist) Toxicity	88.591% of the mixture consists of ingredient(s) of unknown acute inhalation (dust/mist) toxicity
Acute Inhalation (vapor) Toxicity	88.591% of the mixture consists of ingredient(s) of unknown acute inhalation (vapor) toxicity
Acute Inhalation (gas) Toxicity	88.591% of the mixture consists of ingredient(s) of unknown acute inhalation (gas) toxicity

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Petroleum distillates, hydrotreated heavy naphthenic	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-
Polyethylene glycol monooleyl ether	= 2700 mg/kg (Rat)	-	-
2-(2-Aminoethoxy)ethanol	= 3 g/kg (Rat)	= 1190 µL/kg (Rabbit)	-
Hexahydro-1,3,5-tris(2-hydroxyethyl)-S-triazine	= 763 mg/kg (Rat)	-	-
Diisopropanolamine	= 4765 mg/kg (Rat)	= 8000 mg/kg (Rabbit)	-
Polyethylene-polypropylene glycol	= 5700 mg/kg (Rat) = 16 g/kg (Rat)	-	-
Octamethylcyclotetrasiloxane	> 4800 mg/kg (Rat)	> 2400 mg/kg (Rat) > 4640 mg/kg	= 36 g/m ³ (Rat) 4 h

		(Rabbit)	
--	--	------------	--

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Rash Itching.

Delayed and immediate effects and also chronic effects from short and long term exposure

Respiratory or Skin Sensitization May cause sensitization by skin contact.
Germ Cell Mutagenicity No information available
Carcinogenicity The classification listed below for the petroleum distillates in this product pertains to those that contain more than 3% DMSO extract as measured by IP 346. The petroleum distillates in this product do not meet that criteria to be classified as carcinogens.

Chemical Name	ACGIH	IARC	NTP	OSHA
Petroleum distillates, hydrotreated heavy naphthenic	A2	Group 1	Known	X
Chloroalkanes		Group 2B		X

ACGIH: (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

OSHA: (Occupational Safety & Health Administration)

X - Present

Reproductive Toxicity No information available
STOT - single exposure No information available
STOT - repeated exposure No information available
Aspiration Hazard No information available.

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Toxic to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Petroleum distillates, hydrotreated heavy naphthenic 64742-52-5		LC50 96 h: > 5000 mg/L (Oncorhynchus mykiss)		EC50 48 h: > 1000 mg/L (Daphnia magna)
2-(2-Aminoethoxy)ethanol 929-06-6	EC50 72 h: = 160 mg/L (Desmodesmus subspicatus)	LC50 96 h: = 460 mg/L static (Leuciscus idus)	EC50 = 110 mg/L 17 h	EC50 48 h: = 190 mg/L (Daphnia magna)
Hexahydro-1,3,5-tris(2-hydroxyethyl)-S-triazine 4719-04-4	-	-	EC50 = 28.9 mg/L 15 min	-
Diisopropanolamine 110-97-4	EC50 72 h: = 270 mg/L (Desmodesmus subspicatus)	LC50 96 h: 1000 - 2200 mg/L static (Brachydanio rerio) LC50 96 h: 1000 - 2200 mg/L static (Leuciscus idus)		EC50 48 h: = 277.7 mg/L (Daphnia magna Straus)
Octamethylcyclotetrasiloxane 556-67-2		LC50 96 h: > 1000 mg/L (Lepomis macrochirus) LC50 96 h: > 500 mg/L (Brachydanio rerio)		EC50 24 h: = 25.2 mg/L (Daphnia magna)

Persistence and Degradability No information available

Bioaccumulation No information available

Chemical Name	Log Pow
Diisopropanolamine	-0.79

Mobility No information available

Other Adverse Effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods This material, as supplied, is not a hazardous waste according to state and federal regulations (40 CFR 261). Dispose of in accordance with local regulations.

Contaminated Packaging Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT

UN-Number UN3082
Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Hazard Class 9
Packing Group III
Description UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.,(Chloroalkanes) 9, III, MARINE POLLUTANT
Emergency Response Guide Number 171

TDG

UN-Number UN3082
Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Hazard Class 9
Packing Group III
Description UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.,(Chloroalkanes) 9, III, MARINE POLLUTANT

MEX

UN-Number UN3082
Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Hazard Class 9
Packing Group III
Description UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.,(Chloroalkanes) 9, III, MARINE POLLUTANT

15. REGULATORY INFORMATION

International Regulations

Ozone depleting substances Not applicable
Persistent Organic Pollutants Not applicable
Hazardous Waste Not applicable
The Rotterdam Convention (Prior Informed Consent) Not applicable
International Convention for the Prevention of Pollution from Ships (MARPOL) Not applicable

International Inventories

Contact supplier for inventory compliance status

TSCA	Complies
DSL	Complies

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Petroleum distillates, hydrotreated heavy naphthenic				X	
2-(2-Aminoethoxy)ethanol	X	X			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

NFPA Health Hazard 2 Flammability 1 Instability 0 Physical and Chemical Hazards -

HMIS Health Hazard 2* Flammability 1 Physical Hazard 0 Personal Protection X

*Indicates a chronic health hazard.

Prepared By Product Stewardship
23 British American Blvd.
Latham, NY 12110
1-800-572-6501

Issuing Date 12-Dec-2017
Revision Date 05-Jan-2018
Revision Note New subformat.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not

to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet